

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|--|---|------------------|
| - | 29 | predetermined near5 function near5 definition\$2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/27 09:26 |
| - | 18 | function near5 (librar\$4 or repositor\$4 or stor\$4 or set\$2) and (predetermined near5 function near5 definition\$2) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/25 15:54 |
| - | 1 | identif\$6 near5 (data adj source and output adj port) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/25 16:18 |
| - | 38 | bind\$4 same input adj port same output adj port | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/25 16:46 |
| - | 31 | select near5 (function or application) same related near5 output | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/26 07:59 |
| - | 2 | select near5 function same set same input adj port same output adj port | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/26 08:02 |
| - | 6 | select near3 function same set same output adj ports | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/26 11:24 |
| - | 2 | 5,982,350.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/26 11:41 |
| - | 2 | 5,404,316.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/26 11:42 |
| - | 2 | 5,874,988.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/26 11:42 |
| - | 2 | 5,644,674.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/26 13:03 |
| - | 39 | (image) same rout\$4 near data same port | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/26 13:14 |
| - | 591 | plurality near3 functions same select | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/26 13:48 |

| | | | | |
|---|-----|---|---|------------------|
| - | 510 | plurality near3 function\$2 same select near3 function\$2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/26 13:49 |
| - | 26 | defin\$6 near3 function\$ same plurality near3 function\$2 same select near3 function\$2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/26 13:57 |
| - | 206 | function near3 portion\$2 and function near3 definition\$2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/26 14:40 |
| - | 4 | subdirectory near5 source same destination | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/26 14:42 |
| - | 27 | subdirectory same port | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/26 14:48 |
| - | 14 | plurality near function\$2 same function near definition\$2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/26 15:29 |
| - | 11 | plurality near function\$2 same function near definition\$2 and input and output | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/26 15:36 |
| - | 431 | plural\$4 near5 function\$2 and set near5 predetermin\$4 near5 function\$2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/26 15:51 |
| - | 3 | plural\$4 near5 function\$2 and predetermin\$4 near5 function\$2 near definition\$2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/26 16:13 |
| - | 5 | identify near5 data near5 source and identify near5 output adj port | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/26 16:22 |
| - | 1 | predetermined adj function adj definitions | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/26 16:22 |
| - | 1 | predetermined adj function adj definition\$2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/26 16:23 |
| - | 3 | predetermined near5 function near5 definition\$2 and application near5 program | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/27 09:28 |

| | | | | |
|---|-----|---|---|------------------|
| - | 127 | select near5 function\$2 same application same command | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/27 09:39 |
| - | 8 | select near5 function\$2 near5 (multiple or plural\$4) same application same command | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/27 10:49 |
| - | 12 | select near5 function\$2 near5 (multiple or plural\$4) and application same execut\$4 near5 command | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/27 10:44 |
| - | 48 | select near5 function\$2 near5 (multiple or plural\$4) same command | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/27 11:05 |
| - | 20 | (application or code or program) same (execute or run) same command same function adj (portion or section or partition) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/27 13:52 |
| - | 139 | execute near5 command near5 (application or code or program) same function | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/27 11:23 |
| - | 4 | execute near5 command near5 (application or code or program) same (plurality or multiple) near5 function\$2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/27 11:29 |
| - | 299 | (select or choose) near5 function same command same (application or code or program) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/27 11:34 |
| - | 383 | function near5 command near5 execute | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/27 11:46 |
| - | 2 | function near5 unit same command same data and function adj manager | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/27 11:47 |
| - | 560 | function adj manager or task adj manager | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/27 11:47 |
| - | 179 | function adj manager or task adj manager same command\$2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/27 11:50 |
| - | 143 | function same select same execute same application | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/27 11:53 |

| | | | | |
|---|-----|---|---|------------------|
| - | 587 | function same (execut\$4 or process\$4) same (unit or section or portion) same application same command | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/27 11:59 |
| - | 115 | (multiple or plurality) same function same (execut\$4 or process\$4) same (unit or section or portion) same application same command | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/27 12:10 |
| - | 3 | (multiple or plurality) near5 function same (execut\$4 or process\$4) same (unit or section or portion) same application same command | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/27 12:49 |
| - | 17 | (multiple or plurality) near5 function near5 select same command | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/27 13:22 |
| - | 515 | (multiple or plurality) near5 function near5 select | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/27 13:28 |
| - | 1 | 6,532,218.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/27 13:51 |
| - | 2 | modify near5 function same recompile | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/27 15:32 |
| - | 6 | off\$line near5 development near5 environment | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/27 17:45 |
| - | 109 | off\$line near5 development | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/27 17:46 |
| - | 23 | off\$line and visual\$basic | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/27 17:47 |
| - | 7 | off\$line same visual adj basic | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/27 17:48 |
| - | 8 | off adj line same visual adj basic | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/27 18:05 |
| - | 409 | visual adj basic same environment | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/27 18:25 |

| | | | | |
|---|----|------------------------------|---|------------------|
| - | 12 | visualbasic same environment | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/27 18:26 |
|---|----|------------------------------|---|------------------|